



Certifikát/Certificate

Tento certifikát byl udělen/This certificate was granted

AgroKrút, s.r.o.

Bratčice 106, 664 67 Bratčice, Czech Republic

s lokalitami uvedenými v souladu se zprávou z auditu/with the locations given in accordance with the summary audit report

Číslo účastníka v systému KZR INiG/Participant's number in the KZR INiG system: **1718/7999/DD/22**
pro potvrzení shody se systémovými požadavky/to confirm compliance with system requirements:

KZR INiG

Systém KZR INiG pro certifikaci udržitelné výroby biopaliv, paliv z biomasy a biokapalin,
vydání 3 ze dne 19. prosince 2023.

KZR INiG System for certification of sustainable production of biofuels, biomass fuels and bioliquids,
issue 3, from 19th December 2023.

Rozsah činností pokrytých tímto certifikátem je definován níže/The scope of activities covered by this certificate is defined below:

FA Farm/Plantation; FGCS First gathering point of biomass grown/harvested on farms/plantations with storage; FGWS First gathering point of waste/residue material not grown/harvested on farms/plantations with storage; FGAS First gathering point of agricultural waste/residue with storage; BG Biogas plant; IPER Installation producing energy electricity, heat or cooling

Certifikační cesta/Certification path: **Fuels from Biomass**

Certifikát platný od/Certificate valid from: **16. 5. 2025**

Certifikát platný do/Certificate valid until: **15. 5. 2026**

Číslo certifikátu/Certificate number: **URS 014273/03/01**

Místo/Place:

Zielona Góra


Datum vydání/Date of issue:

13. 5. 2025

Verze/Version:

1

Za certifikační orgán/
On behalf of the certification body:



Retco



Vydáno/Issued by:
United Registrar of Systems Polska Sp. z o.o.
Ul. Żeromskiego 62/2, 50-312 Wrocław Registrační číslo KZR INiG/Registration
numer KZR INiG: DD/710-10/21 Orgán pro certifikaci produktů pod akreditací PCA, č.
AC244/ Product Certification Body accredited by PCA, No. AC 244 Administrátorem
systému KZR-INiG jest Instytut Nafty i Gazu – Państwowy Instytut Badawczy



AC 244